


116 / 216 (Long Jaw)

MODEL 116

40 TON [36.3 METRIC TONS]
 3 JAW
 REACH 25.0 [635.0]
 SPREAD 2.0 [50.8] TO 38.0 [965.2]
 WT. 90 Lbs.[40.8 kg]
 MAXIMUM TORQUE
 850 FOOT POUNDS [1152 N m]


MODEL 216

35 TON [31.8 METRIC TONS]
 2 JAW
 REACH 25.0 [635.0]
 SPREAD 2.0 [50.8] TO 38.0 [965.2]
 WT. 67 Lbs.[30.4 kg]
 MAXIMUM TORQUE
 800 FOOT POUNDS [1085 N m]




JAW SPREAD	DIM A	DIM B	DIM C	DIM D	DIM E	DIM F	DIM G	DIM H	DIM J	DIM K	DIM L
2.00 [50.8]	6.32 [160.5]	7.00 [177.8]	7.30 [185.4]	7.25 [184.2]	6.83 [173.5]	6.29 [159.8]	5.76 [146.3]	5.22 [132.6]	4.68 [118.9]	4.14 [105.2]	0.950 [24.1]
6.00 [152.4]	9.39 [238.5]	9.79 [248.7]	9.82 [249.4]	9.48 [240.8]	8.78 [223.0]	7.93 [201.4]	7.08 [179.8]	6.23 [158.2]	5.38 [136.7]	4.53 [115.1]	0.964 [24.5]
10.00 [254.0]	12.47 [316.7]	12.60 [320.0]	13.37 [339.6]	11.77 [299.0]	10.78 [273.8]	9.61 [244.1]	8.44 [214.4]	7.27 [184.7]	6.09 [154.7]	4.92 [125.0]	0.973 [24.7]
14.00 [355.6]	15.58 [395.7]	15.47 [392.9]	15.00 [381.0]	14.14 [359.2]	12.88 [327.2]	11.37 [288.8]	9.86 [250.4]	8.35 [212.1]	6.84 [173.7]	5.33 [135.4]	0.976 [24.8]
18.00 [457.2]	18.78 [477.0]	18.45 [468.6]	17.74 [450.6]	16.64 [422.7]	15.12 [384.0]	13.26 [336.8]	11.38 [289.1]	9.50 [241.3]	7.63 [193.8]	5.75 [146.1]	0.973 [24.7]
22.00 [558.8]	22.11 [561.6]	21.57 [547.9]	20.65 [524.5]	19.32 [490.7]	17.54 [445.5]	15.32 [389.1]	13.04 [331.2]	10.76 [273.3]	8.48 [215.4]	6.21 [157.7]	0.964 [24.5]
26.00 [381.0]	25.63 [651.0]	24.90 [632.5]	23.78 [604.0]	22.23 [564.6]	20.20 [513.1]	17.90 [454.7]	14.90 [378.5]	12.17 [309.1]	9.44 [239.8]	6.71 [170.4]	0.948 [24.1]
30.00 [762.0]	29.40 [746.8]	28.50 [723.9]	27.19 [690.6]	25.44 [646.2]	23.18 [588.8]	20.30 [515.6]	17.05 [433.1]	13.79 [350.3]	10.54 [267.7]	7.28 [184.9]	0.926 [23.5]
34.00 [863.6]	33.49 [850.6]	32.44 [824.0]	30.98 [786.9]	29.05 [737.9]	26.58 [675.1]	23.44 [595.4]	19.63 [498.6]	15.74 [399.8]	11.85 [301.0]	7.96 [202.2]	0.895 [22.7]
38.00 [965.2]	38.00 [965.2]	36.84 [935.7]	35.25 [895.4]	33.18 [842.8]	30.53 [775.5]	27.18 [690.4]	22.88 [581.2]	18.18 [461.8]	13.49 [342.6]	8.79 [223.3]	0.855 [21.7]

116 / 216 (Long Jaw)



SHAFT PROTECTOR



116 / 216 (Long Jaw)

